

8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1. IDENTIFICATION	2
SECTION 2. HAZARDS IDENTIFICATION	2
SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS	3
SECTION 4. FIRST AID MEASURES	5
SECTION 5. FIRE-FIGHTING MEASURES	6
SECTION 6. ACCIDENTAL RELEASE MEASURES	7
SECTION 7. HANDLING AND STORAGE	8
SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION	9
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES	10
SECTION 10. STABILITY AND REACTIVITY	11
SECTION 11. TOXICOLOGICAL INFORMATION	11
SECTION 12. ECOLOGICAL INFORMATION	12
SECTION 13. DISPOSAL CONSIDERATIONS	12
SECTION 14. TRANSPORT INFORMATION	13
SECTION 15. REGULATORY INFORMATION	14
SECTION 16. OTHER INFORMATION	16



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

SECTION 1. IDENTIFICATION

GHS product identifier:	Planet Ultimate Gel Clear
Other means of identification:	Not available
Product code:	4020179
Product type:	Liquid
Relevant identified uses of the substance or mixture and uses advised against:	Not applicable.
Supplier's details:	Planet Nails Distribution Pty Ltd 8 Conara Road, Kunda Park, 4556 Queensland Australia
Emergency telephone number (with hours of operation)	+61478668560
Issue Date:	01/07/2021

SECTION 2. HAZARDS IDENTIFICATION

OSHA/HCS status:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the substance or mixture:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION (Fertility) - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 95.4% Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 97.3% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 97.3%	
GHS label elements		
Hazard pictograms:		
Signal word:	Warning	
Hazard statements:	Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction.	
PRECAUTIONARY STATEMENTS		



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response:	IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage:	Store locked up.
Disposal:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified:	None known

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Mixture		
Other means of identification:	Not available		
CAS number/other identifiers			
CAS number:	Not available		

Ingredient name	CAS number	EC number	INCI Name	%
Polyurethane acrylate oligomer	Exempt	-	Di-HEMA trimethylhexyl dicarbamate*	≥50 - ≤75
Trimethylolpropane trimethacrylateesters	3290-92-4	221-950-4	Trimethylolpropane trimethacrylate	≥10 - ≤25
TPO	75980-60-8	278-355-8	Trimethylbenzoyl diphenylphosphine oxide	≤1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Occupational exposure limits, if available, are listed in Section 8.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

SECTION 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing, if not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as wormling may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept lows to that womit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious personnel. If vomiting occurs, the head should be kept lows to that wornt does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious personnel. If vomiting occurs, the head should be kept lows to that wornt does not enter the lungs. Ge	Description of necessary first aid measures	
Eye contact: and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing, if not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Skin contact: Skin contact: Wash with plenty of soap and water. Remove contaminated clothing floroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomitting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention in fadverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention in immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects.		Immediately flush eyes with plenty of water,
lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing such as a collar, tie, belt or waistband. Skin contact:		occasionally lifting the upper
medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomitting may be dangerous. Do not induce owniting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects. Eye contact: Causes serious eye irritation	Eye contact:	and lower eyelids. Check for and remove any contact
Remove victim to fresh air and keep at rest in a position comfortable for breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomitting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Causes serious eye irritation		
comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Losen tight clothing such as a collar, tie, belt or waistband. Skin contact: Skin contact: Skin contact: Wash with plenty of soap and water. Remove contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomitting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Inhalation: may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Inhalation: mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash clothing before reuse thoroughly before reuse withoughly before reuse without the simple person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Causes serious eye irritation		
adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomitting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		, , , , , , , , , , , , , , , , , , , ,
unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation	Inhalation:	
attention immediately. Maintain an open airway. Losen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, owar gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		•
Loosen tight clothing such as a collar, tie, belt or waistband. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Causes serious eye irritation		
Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Causes serious eye irritation		
Skin contact: Skin contacting to, or wear gloves. Continue to rinse for wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Skin contact: Shound May Loosen tight clothing such as a collar, tie, belt or waistband Causes serious eye irritation		
Skin contact: water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation	Skin contact:	
exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
thoroughly before reuse Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		I
comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		Wash out mouth with water. Remove dentures if any.
swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		Remove victim to fresh air and keep at rest in a position
small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		comfortable for breathing. If material has been
person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Ingestion: personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		1,
low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		· · · · · · · · · · · · · · · · · · ·
attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation	Ingestion:	
Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		I
person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		·
get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
airway. Loosen tight clothing such as a collar, tie, belt or waistband Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		1 '
Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		, ,
Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact: Causes serious eye irritation		
Potential acute health effects Eye contact: Causes serious eye irritation	Most important symptoms/effects. acute and delayed	Transcouring
	• • • • • • • • • • • • • • • • • • • •	
Inhalation: No known significant effects or critical hazards.	Eye contact:	Causes serious eye irritation
<u> </u>	Inhalation:	No known significant effects or critical hazards.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Skin contact:	Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Ingestion:	No known significant effects or critical hazards.
Over-exposi	ure signs/symptoms
	Adverse symptoms may include the following:
Fire contact:	pain or irritation
Eye contact:	watering
	redness
Inhelation	Adverse symptoms may include the following:
Inhalation:	Suspected of damaging fertility.
	Adverse symptoms may include the following:
Skin contact:	Suspected of damaging fertility.
Skin contact:	redness
	irritation
Incasting	Adverse symptoms may include the following:
Ingestion:	Suspected of damaging fertility.
Indication of immediate medical attent	tion and special treatment needed, if necessary
	Treat symptomatically. Contact poison treatment
Notes to physician:	specialist immediately if large quantities have been
	ingested or inhaled.
Specific treatments:	No specific treatment
Protection of first-aiders:	No action shall be taken involving any personal risk or
	without suitable training. It may be dangerous to the
	person providing aid to give mouth- to-mouth
	resuscitation. Wash contaminated clothing thoroughly
	with water before removing it, or wear gloves.

See toxicological information (Section 11)

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media Suitable extinguishing media:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media:	None known
Specific hazards arising from the chemical:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Special protective equipment for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Descend procautions, protective equipment and emergency procedures		
Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".	
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for	containment and cleaning up	
Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.	



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

	Note: see Section 1 for emergency contact
	information and Section 13 for waste disposal.
SECTION 7. HANDLING AND ST	ORAGE
Precautions for safe handling Protective measures:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities:	Shield UV light sources. Do not store above the following temperature: 38°C (100.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental

contamination.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Occupational exposure limits			
Ingredient name	Exposure limits		
Polyurethane acrylate oligomer Trimethylolpropane trimethacrylate esters	None. AIHA WEEL (United States, 10/2011). Absorbed through skin. TWA: 1 mg/m³ 8 hours.		
ТРО	None.		
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.		
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual prot	ection measures		
Hygiene measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.		
Skin protection			



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE			
Physical state:	Liquid. [Gel]		
Color:	Clear. Pink [Light]		
Odor:	Characteristic. Acrylate odor [Slight]		
pH:	Not available		
Melting point:	Not available.		
Boiling point:	Not available		
Flash point:	Closed cup: > 93.3°C (>199.9°F)		
Lower and upper explosive (flammable) limits:	Not available		
Vapor pressure:	Not available		
Vapor density:	Not available		
Relative density:	1.12-1.13		
Solubility:	Not available		
Solubility in water:	Not available.		
Partition coefficient: noctanol/ water:	Not available.		
Auto-ignition temperature:	Not available.		



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Viscosity:	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	The product is stable.
Possibility of hazardous reactions:	Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.
Conditions to avoid:	No specific data.
Incompatible materials:	No specific data
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Trimethylolpropane trimethacrylate esters	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Information on toxicological effects				
Information on the likely routes of exposure	Not available			
Potential acute health effects				
Eye contact: Causes serious eye irritation.				
Inhalation:	No known significant effects or critical hazards.			
Skin contact:	Causes skin irritation. May cause an allergic skin reaction.			
Ingestion:	No known significant effects or critical hazards.			
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact:	Adverse symptoms may include the following: pain or irritation watering redness			



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Inhalation:	Adverse symptoms may include the following:		
	Suspected of damaging fertility.		
	Adverse symptoms may include the following:		
Skin contact:	Irritation		
Skiii Contact.	Redness		
	irritation		
lugastion.	Adverse symptoms may include the following:		
Ingestion:	Suspected of damaging fertility.		
Delayed and immediate effects and also chronic effects fr	om short and long term exposure Short term exposure		
Short term exposure			
Potential immediate Effects	Not available.		
Potential delayed effects:	Not available.		
Long term exposure			
Potential immediate effects:	Not available.		
Potential delayed effects:	Not available.		
Potential chronic health effects	Not available.		
General:	Once sensitized, a severe allergic reaction may occur		
	when subsequently exposed to very low levels.		
Carcinogenicity:	Suspected of causing cancer. Risk of cancer depends		
	on duration and level of exposure.		
Mutagenicity:	No known significant effects or critical hazards.		
Teratogenicity:	No known significant effects or critical hazards.		
Developmental effects:	No known significant effects or critical hazards.		
Fertility effects:	Suspected of damaging fertility.		
Numerical measures of toxicity Acute toxicity estimates	Not available		

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Product/ingredient name	Result	Species	Exposure
Trimethylolpropane trimethacrylate esters	Acute EC50 3.88 mg/l Acute LC50 2 mg/l Acute NOEC 0.177 mg/l	Algae Fish - Oncorhynchus mykiss Algae	72 hours 96 hours 72 hours

Persistence and degradability

Not available.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Trimethylolpropane trimethacrylate estersTPO	2.749	-	low
,	-	53 to 72	low

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Other adverse effects : No known significant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14. TRANSPORT INFORMATION

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not available.

SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations:	Not listed
Clean Air Act Section 112 (b) Hazardous Air	Not listed
Pollutants (HAPs):	
Clean Air Act Section 602	Not listed
Class I Substances:	THO HISTORI
Clean Air Act Section 602	Not listed
Class II Substances:	Not listed
DEA List I Chemicals	Not listed
(Precursor Chemicals):	Not listed
DEA List II Chemicals	Not listed
(Essential Chemicals):	Not listed
SARA 302/304	No products were found.
Composition/information on ingredients	No products were round.
SARA 304 RQ:	Not applicable.
	SKIN IRRITATION - Category 2
SARA 311/312	EYE IRRITATION - Category 2A
Classification:	SKIN SENSITIZATION - Category 1
	TOXIC TO REPRODUCTION (Fertility) - Category 2



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Composition/information on ingredients

Name	%	Classification
Polyurethane acrylate oligomer	Proprietary	SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category
Trimethylolpropane	Proprietary	1ASKIN IRRITATION - Category 2
trimethacrylate		EYE IRRITATION - Category 2A
esters		SKIN SENSITIZATION - Category
	Proprietary	1COMBUSTIBLE DUSTS
TPO		TOXIC TO REPRODUCTION (Fertility, causing atrophy of
		thetestes) - Category 2

State regulations

Massachusetts	None of the components are listed.	
New York	None of the components are listed.	
New Jersey	None of the components are listed.	
Pennsylvania	None of the components are listed.	
Canada inventory	All components are listed or exempted.	

International regulations

Chemical Weapons Convention List Schedule I Chemicals : Not listed

Chemical Weapons Convention List Schedule II Chemicals : Not listed

Chemical Weapons Convention List Schedule III Chemicals: Not listed

Inventory list

Australia: All components are listed or exempted.
Canada: All components are listed or exempted.
China: All components are listed or exempted.
Europe: All components are listed or exempted.

Japan : Japan inventory (ENCS): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

Japan inventory (ISHL): Not determined.

Malaysia: Not determined.

New Zealand: Not determined.

Philippines: All components are listed or exempted.

Republic of Korea : Not determined.
Taiwan : Not determined.



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

Thailand: Not determined. Turkey: Not determined.

United States: All components are listed or exempted.

Viet Nam: Not determined.

SECTION 16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing: 01/07/2021

Date of issue/Date of

revision

01/07/2021

Date of previous issue: No previous validation.

Version: 1

Key to abbreviations: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



8 Conara Road, Kunda Park, 4556 Queensland Australia.

Phone: (07) 5211 0031 Email: info@planetnails.com.au

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

References

Indicates information that has changed from previously issued version.

Notice to reader

*Most Keystone gels are composed of oligomers made primarily from urethane (meth)acrylates. Keystone is using the designation di-HEMA trimethylhexyl dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of polyurethane acrylate oligomer.

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.